



**DOGGER BANK
TEESSIDE A & B**




**March
2014**


Environmental Statement Chapter 11 Appendix C Designated Sites Screened In

Application Reference 6.11.3

Cover photograph: Installation of turbine foundations in the North Sea

Document Title Dogger Bank Teesside A & B
 Environmental Statement – Appendix 11C
 Designated Sites Screened In
 Forewind Document Reference F-OFC-CH-011 App.C
 Issue Number 3
 Date March 2014

Drafted by	Royal HaskoningDHV (Peter Thornton)	
Checked by	Ben Orriss	
Date / initials check		27 February 2014
Approved by	Angela Lowe	
Date / initials approval		28 February 2014
Forewind Approval		
Date / Reference approval	Gareth Lewis	03 March 2014

Title: Appendix 11C Designated Sites Screened In		Contract No. (if applicable) (Offshore)
Document Number: F-OFC-CH-011 App.C	Issue No: 3	Issue Date: 28 February 2014
Status: Issued for 1st. Technical Review <input type="checkbox"/> Issued for PEI3 <input type="checkbox"/> Issued for 2nd. Technical Review <input type="checkbox"/> Issued for DCO <input checked="" type="checkbox"/>		
Prepared by: (Author from RH) Peter Thornton		Checked by: Ben Orriss
Approved by: Angela Lowe	Signature / Approval meeting  Gareth Lewis	Approval Date: 03 March 2014

Revision History

Date	Issue No.	Remarks / Reason for Issue	Author	Checked	Approved
08 October 2014	1	1st Technical Review	PT	AL	AMP
10 October 2014	2	PEI3 Submission	PT	AL	AMP
28 February 2014	3	Pre DCO submission	PT	BLO	AL

Table C-1 UK designated sites and the relevant features screened into marine and coastal ornithology assessment

Site and Designation	Site Features
UK sites	
Abberton Reservoir SPA	Wintering – Gadwall, golden plover, shoveler, and teal. Wintering assemblage - as wintering species above and black-tailed godwit, coot, goldeneye, great-crested grebe, lapwing, pintail, pochard, tufted duck, and wigeon.
Abberton Reservoir Ramsar	Passage - Black-tailed godwit, common greenshank, Eurasian coot, Eurasian teal, gadwall, northern shoveler, ruff, and tufted duck. Wintering assemblage and species - Common goldeneye, common pochard, and Eurasian wigeon.
Alde–Ore Estuary SPA	Breeding - Lesser black-backed gull. Migratory wintering species - Black-tailed godwit, dunlin, lapwing, redshank, shelduck, shoveler, teal, and wigeon.
Alde–Ore Estuary Ramsar	Breeding - Lesser black-backed gull. Migratory wintering assemblage and species - Common redshank, common shelduck, Eurasian teal, Eurasian wigeon, northern pintail, and northern shoveler.
Arun Valley SPA	Wintering – Shoveler, teal, and wigeon.
Arun Valley Ramsar	Migratory wintering assemblage and species - Eurasian teal, Eurasian wigeon, northern pintail, northern shoveler, and ruff.
Avon Valley SPA	Wintering - Gadwall.
Avon Valley Ramsar	Passage - Black-tailed godwit and northern pintail. Wintering - Gadwall.
Benacre to Easton Bavents SPA	Wintering – Bittern.
Benfleet and Southend Marshes SPA	Passage – Ringed plover. Wintering assemblage and species - Dunlin, grey plover, knot, oystercatcher, and ringed plover.
Benfleet and Southend Marshes Ramsar	Passage - Common greenshank. Wintering assemblage and species - Dunlin, grey plover, red knot, and ringed plover.
Blackwater Estuary (Mid-Essex Coast Phase 4) SPA	Passage – Ringed plover. Wintering assemblage and species - Black-tailed godwit, curlew, dunlin, golden plover, goldeneye, great-crested grebe, grey plover, hen harrier, lapwing, pintail, red-breasted merganser, redshank, ruff, shelduck, shoveler, teal, and wigeon.

Site and Designation	Site Features
Blackwater Estuary (Mid-Essex Coast Phase 4) Ramsar	Passage - Common greenshank, Eurasian curlew, ringed plover, ruddy turnstone, and whimbrel. Wintering assemblage and species - Black-tailed godwit, common goldeneye, common redshank, common shelduck, dunlin, Eurasian teal, Eurasian wigeon, European golden plover, grey plover, hen harrier, northern lapwing, northern pintail, red knot, red-breasted merganser, ruff, sanderling, and Slavonian grebe.
Breydon Water SPA	Wintering assemblage and species - Black-tailed godwit, dunlin, golden plover, lapwing, shoveler, and wigeon.
Breydon Water Ramsar	Passage - Common greenshank and whimbrel. Wintering assemblage and species - Black-tailed godwit, Eurasian teal, Eurasian wigeon, golden plover, northern lapwing, northern pintail, northern shoveler, and ruff.
Broadland SPA	Wintering - Bittern, bean goose, coot, gadwall, great-crested grebe, pochard, ruff, shoveler, teal, tufted duck, and wigeon.
Broadland Ramsar	Wintering - Eurasian wigeon, gadwall, and northern shoveler.
Brighton to Newhaven Cliffs SSSI	Black-legged kittiwake.
Buchan Ness To Collieston Coast SPA	Breeding – Black-legged kittiwake, common guillemot, and northern fulmar.
Calf of Eday SPA	Breeding – Black-legged kittiwake, common guillemot, great black-backed gull, and northern fulmar.
Cape Wrath SPA	Breeding – Atlantic puffin, black-legged kittiwake, common guillemot, northern fulmar, and razorbill.
Chichester and Langstone Harbours SPA	Passage – Ringed plover. Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, curlew, dunlin, grey plover, knot, lapwing, oystercatcher, pintail, redshank, red-breasted merganser, sanderling, shelduck, shoveler, teal, whimbrel, and wigeon.
Chichester and Langstone Harbours Ramsar	Passage - Black-tailed godwit, common greenshank, common redshank, Eurasian curlew, Eurasian oystercatcher, ringed plover, ruddy turnstone, and whimbrel. Wintering assemblage and species - Bar-tailed godwit, common shelduck, dunlin, Eurasian teal, great bittern, grey plover, and red-breasted merganser.
Collieston to Whinnyfold Coast SSSI	Razorbill.
Colne Estuary (Mid-Essex Coast Phase 2) SPA	Wintering assemblage and species - Black-tailed godwit, dunlin, golden plover, great-crested grebe, grey plover, hen harrier, lapwing, redshank, ringed plover, and shelduck.
Colne Estuary (Mid-Essex Coast Phase 2) Ramsar	Passage – Ringed plover. Wintering assemblage and species - Black-tailed godwit, common redshank, common shelduck, dunlin, European golden plover, grey plover, and hen harrier.
Copinsay SPA	Breeding – Black-legged kittiwake, common guillemot, great black-backed gull, and northern fulmar.

Site and Designation	Site Features
Coquet Island SPA	Breeding – Atlantic puffin.
Cromarty Firth SPA	Wintering assemblage and species - Bar-tailed godwit, curlew, dunlin, knot, oystercatcher, pintail, red-breasted merganser, redshank, scaup, and wigeon.
Cromarty Firth Ramsar	Passage - Common redshank and Eurasian wigeon. Wintering assemblage and species - Bar-tailed godwit, greater scaup, red knot, and Slavonian grebe.
Crouch and Roach Estuaries (Mid-Essex Coast Phase 3) Ramsar	Passage - Common greenshank, ruff, and whimbrel. Wintering assemblage species - Black-tailed godwit and hen harrier.
Dengie (Mid-Essex Coast Phase 1) SPA	Wintering assemblage and species – Bar-tailed godwit, black-tailed godwit, dunlin, great-crested grebe, grey plover, hen harrier, knot, lapwing, and oystercatcher.
Dengie (Mid-Essex Coast Phase 1) Ramsar	Passage - Black-tailed godwit, common greenshank, and ringed plover. Wintering assemblage and species - Bar-tailed godwit, dunlin, grey plover, hen harrier, and red knot.
Dornoch Firth and Loch Fleet SPA	Wintering assemblage and species - Bar-tailed godwit, curlew, dunlin, oystercatcher, teal, and wigeon.
Dornoch Firth and Loch Fleet Ramsar	Passage – Eurasian wigeon. Wintering assemblage and species - Bar-tailed godwit, common redshank, and Eurasian teal.
Dorset Heathlands SPA	Wintering - Hen harrier.
Dover to Kingsdown Cliffs SSSI	Black-legged kittiwake.
Duddon Estuary SPA	Passage - Sanderling. Wintering - Curlew, dunlin, knot, oystercatcher, pintail, red-breasted merganser, redshank, sanderling, and shelduck.
Duddon Estuary Ramsar	Passage - Eurasian oystercatcher and red-breasted merganser. Wintering assemblage and species - Common redshank, dunlin, Eurasian curlew, northern pintail, red knot, and sanderling.
Dunbar Coast SSSI	Black-legged kittiwake.
Dungeness to Pett Level SPA	Wintering - Shoveler.
Dungeness to Pett Level proposed Ramsar	Wintering - Northern shoveler and whimbrel.
Durham Coast SSSI	Breeding - Black-legged kittiwake and northern fulmar.
East Caithness Cliffs SPA	Breeding – Atlantic puffin, black-legged kittiwake, common guillemot, great black-backed gull, northern fulmar, and razorbill.
East Sanday Coast SPA	Wintering – Bar-tailed godwit and turnstone.

Site and Designation	Site Features
East Sanday Coast Ramsar	Wintering – Ruddy turnstone.
Eilean Hoan (North Sutherland Coastal Islands) SSSI	Great black-backed gull.
Exe Estuary SPA	Wintering assemblage and species - Black-tailed godwit, dunlin, grey plover, lapwing, oystercatcher, red-breasted merganser, Slavonian grebe, whimbrel, and wigeon.
Exe Estuary Ramsar	Passage - Common greenshank and whimbrel. Wintering assemblage and species - Black-tailed godwit and red-breasted merganser.
Fair Isle SPA	Breeding – Arctic skua, Atlantic puffin, black-legged kittiwake, common guillemot, great skua, northern fulmar, northern gannet, and razorbill.
Farne Islands SPA	Breeding – Atlantic puffin, black-legged kittiwake, common guillemot, and razorbill.
Fetlar SPA	Breeding – Arctic skua, great skua, and northern fulmar.
Firth of Forth SPA	Wintering assemblage and species - Bar-tailed godwit, common scoter, curlew, dunlin, golden plover, goldeneye, great-crested grebe, grey plover, knot, lapwing, mallard, oystercatcher, red-breasted merganser, redshank, ringed plover, scaup, shelduck, Slavonian grebe, turnstone, velvet scoter, and wigeon.
Firth of Forth Ramsar	Passage assemblage and species - Common goldeneye, common greenshank, common redshank, common shelduck, Eurasian curlew, Eurasian oystercatcher, goosander, great-crested grebe, red-breasted merganser, ringed plover, ruddy turnstone and ruff. Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, common scoter, dunlin, European golden plover, greater scaup, grey plover, red knot, sanderling, Slavonian grebe, and velvet scoter.
Firth of Tay and Eden Estuary SPA	Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, common scoter, dunlin, goldeneye, goosander, grey plover, oystercatcher, red-breasted merganser, redshank, sanderling, shelduck, and velvet scoter.
Firth of Tay and Eden Estuary Ramsar	Passage – Common greenshank, common redshank, goosander, and ringed plover. Wintering assemblage and species - Bar-tailed godwit, common scoter, Eurasian oystercatcher, grey plover, and velvet scoter.
Flamborough and Filey Coast pSPA (formerly Flamborough Head and Bempton Cliffs SPA)	Breeding assemblage and species - Atlantic puffin, black-legged kittiwake, common guillemot, northern fulmar, northern gannet, and razorbill.
Forth Islands SPA	Breeding – Atlantic puffin, common guillemot, lesser black-backed gull, northern fulmar, northern gannet, and razorbill.
Foula SPA	Breeding - Arctic skua, Atlantic puffin, black-legged kittiwake, common guillemot, great skua, northern fulmar, and razorbill.

Site and Designation	Site Features
Foulness (Mid-Essex Coast Phase 5) SPA	<p>Passage - Redshank.</p> <p>Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, curlew, dunlin, golden plover, grey plover, hen harrier, knot, lapwing, and oystercatcher, redshank, shelduck, and wigeon.</p>
Foulness (Mid-Essex Coast Phase 5) Ramsar	<p>Passage – Common greenshank, common redshank, Eurasian curlew, ringed plover, ruff, sanderling, and whimbrel.</p> <p>Wintering assemblage and species - Bar-tailed godwit, common shelduck, dunlin, Eurasian oystercatcher, European golden plover, grey plover, hen harrier, and red knot.</p>
Fowlsheugh SPA	Breeding - Black-legged kittiwake, common guillemot, northern fulmar, and razorbill.
Gibraltar Point SPA	Wintering assemblage and species - Bar-tailed godwit, grey plover, knot, and oystercatcher.
Gibraltar Point Ramsar	Passage assemblage and species - Bar-tailed godwit, common greenshank, dunlin, Eurasian oystercatcher, grey plover, red knot, and sanderling.
Hamford Water SPA	<p>Passage – Ringed plover.</p> <p>Wintering - Black-tailed godwit, dunlin, golden plover, grey plover, lapwing, redshank, ringed plover, ruff, shelduck, teal, and wigeon.</p>
Hamford Water Ramsar	<p>Passage - Common redshank and ringed plover.</p> <p>Wintering - Black-tailed godwit and grey plover.</p>
Hermaness, Saxa Vord and Valla Field SPA	Breeding – Atlantic puffin, black-legged kittiwake, common guillemot, great skua, northern fulmar, and northern gannet.
Holburn Lake and Moss Ramsar	Wintering assemblage species – Eurasian teal, Eurasian wigeon, and mallard.
Hornsea Mere SPA	Wintering – Gadwall.
Hoy SPA	Breeding – Arctic skua, Atlantic puffin, black-legged kittiwake, common guillemot, great skua, great black-backed gull, and northern fulmar.
Humber Estuary Ramsar	<p>Passage assemblage and species - Black-tailed godwit, common redshank dunlin, European golden plover, and red knot.</p> <p>Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, common shelduck, dunlin, European golden plover, and red knot.</p>
Humber Flats, Marshes and Coast SPA	<p>Passage - Redshank and sanderling.</p> <p>Wintering assemblage and species - Bar-tailed godwit, bittern, black-tailed godwit, curlew, dunlin, golden plover, goldeneye, grey plover, hen harrier, knot, lapwing, mallard, oystercatcher, pochard, redshank, ringed plover, sanderling, shelduck, teal, whimbrel, and wigeon.</p>
Hunstanton Cliffs SSSI	Breeding - Northern fulmar.

Site and Designation	Site Features
Inner Moray Firth SPA	Wintering assemblage and species - Bar-tailed godwit, curlew, goldeneye, goosander, oystercatcher, red-breasted merganser, redshank, scaup, teal, and wigeon.
Inner Moray Firth Ramsar	Passage assemblage species - Eurasian oystercatcher and Eurasian wigeon. Wintering assemblage and species - Bar-tailed godwit, common goldeneye, common redshank, Eurasian teal, greater scaup, red-breasted merganser, and Slavonian grebe.
Lee Valley SPA	Wintering - Bittern, gadwall, and shoveler.
Lee Valley Ramsar	Passage - Northern shoveler. Wintering - Gadwall.
Leighton Moss SPA	Wintering (migratory) - Bittern.
Leighton Moss Ramsar	Migratory (wintering) – Great bittern and northern shoveler.
Lindisfarne SPA	Passage – Ringed plover. Wintering assemblage and species - Bar-tailed godwit, common scoter, dunlin, golden plover, grey plover, knot, lapwing, light-bellied brent goose, redshank, ringed plover, and shelduck.
Lindisfarne Ramsar	Passage assemblage and species – Common greenshank, common redshank, common scoter, Eurasian curlew, Eurasian wigeon, European golden plover, grey plover, light-bellied brent goose, ringed plover, and ruff. Wintering assemblage and species - Bar-tailed godwit, common shelduck, dunlin, red knot, and Slavonian grebe.
Loch of Strathbeg SPA	Wintering - Teal.
Loch of Strathbeg Ramsar	Passage assemblage species - Common greenshank and ruff.
Lower Derwent Valley SPA	Wintering assemblage and species - Bittern, golden plover, lapwing, mallard, pochard, ruff, shoveler, teal, and wigeon.
Lower Derwent Valley Ramsar	Passage - Ruff and whimbrel. Wintering assemblage and species - Eurasian teal, Eurasian wigeon, European golden plover, gadwall, mallard, northern pintail, northern shoveler, and ruff.
Marazion Marsh SPA	Wintering - Bittern.
Martin Mere SPA	Wintering assemblage and species - Mallard, pintail, pochard, teal, and wigeon.
Martin Mere Ramsar	Passage - Eurasian teal. Wintering assemblage and species - Common pochard, common shelduck, Eurasian wigeon, northern pintail, and ruff.

Site and Designation	Site Features
Marwick Head SPA	Breeding – Black-legged kittiwake and common guillemot.
Medway Estuary and Marshes SPA	Passage – Ringed plover. Wintering assemblage and species - Black-tailed godwit, curlew, dunlin, great-crested grebe, grey plover, lapwing, oystercatcher, pintail, redshank, ringed plover, shelduck, teal, whimbrel, and wigeon.
Medway Estuary and Marshes Ramsar	Passage – Black-tailed godwit, common greenshank, common redshank, Eurasian curlew, grey plover, ringed plover, ruddy turnstone, and whimbrel. Wintering assemblage and species - Common shelduck, dunlin, Eurasian oystercatcher, European golden plover, northern pintail, northern shoveler, red knot, and ringed plover.
Mersey Estuary SPA	Passage - Redshank. Wintering assemblage and species - Black-tailed godwit, curlew, dunlin, golden plover, great-crested grebe, grey plover, lapwing, pintail, redshank, shelduck, teal, and wigeon.
Mersey Estuary Ramsar	Passage assemblage and species - Black-tailed godwit, common greenshank, common redshank, common shelduck, and Eurasian curlew. Wintering assemblage and species - Dunlin, Eurasian teal, Eurasian wigeon, and northern pintail.
Mersey Narrows and North Wirral Foreshore SPA	Wintering assemblage and species – Bar-tailed godwit, dunlin, grey plover, knot, oystercatcher, redshank, and sanderling.
Mersey Narrows and North Wirral Foreshore Ramsar	Wintering assemblage and species - Bar-tailed godwit, common redshank, dunlin, Eurasian oystercatcher, grey plover, red knot, and sanderling.
Minsmere-Walberswick SPA	Wintering - Bittern and hen harrier.
Minsmere-Walberswick Ramsar	Passage - Black-tailed godwit, common greenshank, Eurasian teal, bittern, and ruff. Wintering - Common redshank, gadwall, European golden plover, hen harrier, lesser black-backed gull, and northern shoveler.
Montrose Basin SPA	Wintering assemblage and species - Dunlin, knot, oystercatcher, redshank, wigeon, and shelduck.
Montrose Basin Ramsar	Passage assemblage and species – Common greenshank, common redshank, and ruff. Wintering assemblage and species - Common shelduck, Eurasian wigeon, and red knot.
Moray and Nairn Coast SPA	Wintering assemblage and species - Bar-tailed godwit, common scoter, dunlin, oystercatcher, red-breasted merganser, redshank, velvet scoter, and wigeon.
Moray and Nairn Coast Ramsar	Passage assemblage and species - Red-breasted merganser. Wintering assemblage and species - Common redshank, common scoter, greater scaup, and velvet scoter.

Site and Designation	Site Features
Morecambe Bay SPA	<p>Passage – Sanderling.</p> <p>Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, curlew, dunlin, golden plover, goldeneye, great-crested grebe, grey plover, knot, lapwing, mallard, oystercatcher, pintail, red-breasted merganser, redshank, sanderling, shelduck, teal, turnstone, whimbrel, and wigeon.</p>
Morecambe Bay Ramsar	<p>Passage - Common greenshank, common redshank, common shelduck, Eurasian curlew, Eurasian oystercatcher, grey plover, northern pintail, ringed plover, ruddy turnstone, ruff, sanderling, and whimbrel.</p> <p>Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, common goldeneye, dunlin, Eurasian teal, Eurasian wigeon, European golden plover, great-crested grebe, northern lapwing, red knot, and red-breasted merganser.</p>
Nene Washes SPA	<p>Wintering assemblage and species – Black-tailed godwit, gadwall, lapwing, pintail, pochard, ruff, shoveler, teal, and wigeon.</p>
Nene Washes Ramsar	<p>Passage – Black-tailed godwit.</p> <p>Wintering – Northern pintail.</p>
New Forest SPA	<p>Wintering – Hen harrier.</p>
North Berwick Coast SSSI	<p>Northern fulmar.</p>
North Caithness Cliffs SPA	<p>Breeding – Atlantic puffin, black-legged kittiwake, common guillemot, northern fulmar, and razorbill.</p>
North Norfolk Coast SPA	<p>Passage – Ringed plover.</p> <p>Wintering assemblage and species - Bar-tailed godwit, bittern, common scoter, dunlin, gadwall, golden plover, grey plover, hen harrier, knot, lapwing, oystercatcher, pintail, redshank, ringed plover, ruff, sanderling, shelduck, shoveler, teal, velvet scoter, and wigeon.</p>
North Norfolk Coast Ramsar	<p>Passage assemblage and species – Bar-tailed godwit, black-tailed godwit, common greenshank, Eurasian curlew, gadwall, grey plover, ringed plover, red knot, ruddy turnstone, ruff, sanderling, and whimbrel.</p> <p>Wintering assemblage and species – Common redshank, common scoter, common shelduck, Eurasian oystercatcher, Eurasian teal, Eurasian wigeon, golden plover, great bittern, northern pintail, northern shoveler, red-breasted merganser, and velvet scoter.</p>
Northumbria Coast SPA	<p>Breeding – Little tern.</p> <p>Wintering – Turnstone.</p>
Northumbria Coast Ramsar	<p>Breeding – Little tern.</p> <p>Wintering – Ruddy turnstone.</p>
Noss SPA	<p>Breeding – Arctic skua, Atlantic puffin, black-legged kittiwake, common guillemot, great skua, northern fulmar, and northern gannet.</p>

Site and Designation	Site Features
Ouse Washes SPA	Wintering assemblage and species - Black-tailed godwit, coot, gadwall, hen harrier, lapwing, mallard, pintail, pochard, ruff, shoveler, teal, tufted duck, and wigeon.
Ouse Washes Ramsar	Wintering assemblage and species - Bean goose, black-tailed godwit, common pochard, Eurasian coot, Eurasian teal, Eurasian wigeon, gadwall, hen harrier, northern pintail, northern shoveler, ruff, and tufted duck.
Pagham Harbour SPA	Wintering - Pintail and ruff.
Pagham Harbour Ramsar	Wintering – Black-tailed godwit.
Papa Westray (North Hill and Holm) SPA	Breeding - Arctic skua.
Poole Harbour SPA	Wintering assemblage and species - Black-tailed godwit, curlew, dunlin, goldeneye, lapwing, pochard, red-breasted merganser, redshank, shelduck, and shoveler.
Poole Harbour Ramsar	Passage assemblage and species – Common greenshank. Wintering assemblage and species – Black-tailed godwit, common shelduck, dunlin, Eurasian curlew, northern pintail, and red-breasted merganser.
Ribble and Alt Estuaries SPA	Passage - Sanderling. Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, common scoter, curlew, dunlin, golden plover, grey plover, knot, lapwing, oystercatcher, pintail, redshank, sanderling, shelduck, teal, and wigeon.
Ribble and Alt Estuaries Ramsar	Passage - Black-tailed godwit, common greenshank, common redshank, dunlin, Eurasian curlew, grey plover, red knot and ruff. Wintering assemblage and species - Bar-tailed godwit, common scoter, common shelduck, Eurasian oystercatcher, Eurasian teal, Eurasian wigeon, European golden plover, northern pintail, and northern shoveler.
Rousay SPA	Breeding – Arctic skua, black-legged kittiwake, common guillemot, and northern fulmar.
Rutland Water SPA	Wintering assemblage and species - Coot, gadwall, goldeneye, great-crested grebe, lapwing, pochard, shoveler, teal, tufted duck, and wigeon.
Rutland Water Ramsar	Passage - Common greenshank, Eurasian coot, gadwall, great-crested grebe, lesser black-backed gull, northern shoveler, ruff, and tufted duck. Wintering assemblage species - Common goldeneye.
Salisbury Plain SPA	Wintering - Hen harrier.
Severn Estuary SPA	Wintering assemblage and species - Curlew, dunlin, gadwall, grey plover, lapwing, mallard, pintail, pochard, redshank, shelduck, shoveler, teal, tufted duck, and whimbrel, and wigeon.

Site and Designation	Site Features
Severn Estuary Ramsar	Passage assemblage species - Common greenshank, Eurasian curlew, ruff, and whimbrel. Wintering assemblage and species - Common pochard, common redshank, common shelduck, dunlin, Eurasian teal, Eurasian wigeon, gadwall, northern pintail, and northern shoveler.
Solent and Southampton Water SPA	Wintering assemblage and species - Black-tailed godwit, curlew, dunlin, gadwall, great-crested grebe, grey plover, lapwing, pintail, red-breasted merganser, redshank, ringed plover, shelduck, shoveler, teal, and wigeon.
Solent and Southampton Water Ramsar	Passage assemblage species – Common greenshank and ringed plover. Wintering assemblage and species - Black-tailed godwit, common shelduck, dunlin, Eurasian curlew, Eurasian teal, Eurasian wigeon, grey plover, northern pintail, northern shoveler, red-breasted merganser, and Slavonian grebe.
Somerset Levels and Moors SPA	Wintering assemblage and species - Gadwall, golden plover, lapwing, pintail, shoveler, snipe, teal, whimbrel, and wigeon.
Somerset Levels and Moors Ramsar	Wintering assemblage and species - Common snipe, Eurasian teal, Eurasian wigeon, European golden plover, gadwall, northern lapwing, northern pintail, northern shoveler, and ruff.
South West London Waterbodies SPA	Wintering - Gadwall and shoveler.
South West London Waterbodies Ramsar	Wintering - Gadwall and northern shoveler.
St Abb's Head to Fast Castle SPA	Breeding – Black-legged kittiwake, common guillemot, and razorbill.
Stodmarsh SPA	Wintering - Bittern and hen harrier.
Stodmarsh Ramsar	Passage - Gadwall. Wintering - Great bittern, hen harrier, and northern shoveler.
Stour and Orwell Estuaries SPA	Wintering assemblage and species - Black-tailed godwit, curlew, dunlin, goldeneye, great-crested grebe, grey plover, hen harrier, knot, lapwing, oystercatcher, pintail, redshank, ringed plover, shelduck, turnstone, and wigeon.
Stour and Orwell Estuaries Ramsar	Passage assemblage and species – Common greenshank, common redshank, ringed plover, and ruff. Wintering assemblage and species - Black-tailed godwit, common goldeneye, common redshank, common shelduck, dunlin, Eurasian curlew, Eurasian wigeon, great-crested grebe, grey plover, northern pintail, red knot, and ruddy turnstone.
Sule Skerry and Sule Stack SPA	Breeding – Atlantic puffin, common guillemot, and northern gannet.
Sumburgh Head SPA	Breeding – Black-legged kittiwake, common guillemot, and northern fulmar.

Site and Designation	Site Features
Teesmouth and Cleveland Coast SPA	Breeding – Little tern. Passage – Ringed plover and sandwich tern. Wintering assemblage and species - Cormorant, knot, lapwing, redshank, sanderling, and shelduck.
Teesmouth and Cleveland Coast Ramsar	Breeding – Little tern. Passage – Common greenshank, common redshank, northern shoveler, and sandwich tern. Wintering assemblage and species - Red knot.
Thames Estuary and Marshes SPA	Passage – Ringed plover. Wintering assemblage and species - Black-tailed godwit, dunlin, gadwall, grey plover, hen harrier, lapwing, pintail, redshank, ringed plover, shelduck, shoveler, and whimbrel.
Thames Estuary and Marshes Ramsar	Passage assemblage and species – Black-tailed godwit, common greenshank, ringed plover, and ruff. Wintering assemblage and species - Common redshank, common shelduck, dunlin, gadwall, grey plover, northern shoveler, and red knot.
Thanet Coast and Sandwich Bay SPA	Wintering – Turnstone.
Thanet Coast and Sandwich Bay Ramsar	Wintering - Ruddy turnstone.
The Dee Estuary SPA	Passage - Redshank. Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, curlew, dunlin, grey plover, knot, lapwing, mallard, oystercatcher, pintail, redshank, sanderling, shelduck, teal, and wigeon.
The Dee Estuary Ramsar	Passage - Common redshank. Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, common redshank, common shelduck, dunlin, Eurasian curlew, Eurasian oystercatcher, Eurasian teal, Eurasian wigeon, great-crested grebe, grey plover, northern pintail, red knot, and sanderling.
The Swale SPA	Passage – Ringed plover. Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, curlew, dunlin, gadwall, golden plover, grey plover, hen harrier, knot, lapwing, oystercatcher, pintail, redshank, shelduck, shoveler, teal, and wigeon.
The Swale Ramsar	Passage assemblage and species – Common greenshank, common redshank, ringed plover, Eurasian curlew, and whimbrel. Wintering assemblage and species - Black-tailed godwit, common shelduck, dunlin, Eurasian oystercatcher, Eurasian teal, Eurasian wigeon, golden plover, grey plover, northern lapwing, northern pintail, northern shoveler, red knot, and ruff.

Site and Designation	Site Features
The Wash SPA	<p>Passage – Ringed plover and sanderling.</p> <p>Wintering assemblage and species - Bar-tailed godwit, black-tailed godwit, curlew, dunlin, golden plover, grey plover, knot, lapwing, mallard, oystercatcher, pintail, redshank, sanderling, shelduck, turnstone, whimbrel, and wigeon.</p>
The Wash Ramsar	<p>Breeding - Lesser black-backed gull.</p> <p>Passage assemblage and species - Black-tailed godwit, common greenshank, common redshank, Eurasian curlew, Eurasian oystercatcher, grey plover, ringed plover, lesser black-backed gull, red knot, ruddy turnstone, ruff, sanderling, and whimbrel.</p> <p>Wintering assemblage and species - Bar-tailed godwit, bean goose, common scoter, common shelduck, dunlin, European golden plover, northern lapwing, and northern pintail.</p>
Troup, Pennan And Lion's Heads SPA	Breeding – Black-legged kittiwake, common guillemot, northern fulmar, and razorbill.
Upper Solway Flats and Marshes SPA	<p>Wintering assemblage and species - Bar-tailed godwit, barnacle goose, curlew, dunlin, golden plover, goldeneye, great-crested grebe, grey plover, knot, lapwing, mallard, oystercatcher, pintail, redshank, scaup, and shelduck.</p>
Upper Solway Flats and Marshes Ramsar	<p>Passage assemblage and species - Common greenshank, common shelduck, Eurasian oystercatcher, grey plover, ruff, sanderling, and whimbrel.</p> <p>Wintering assemblage and species - Bar-tailed godwit, barnacle goose, common redshank, dunlin, Eurasian curlew, European golden plover, great-crested grebe, greater scaup, northern pintail, and red knot.</p>
West Westray SPA	Breeding – Arctic skua, black-legged kittiwake, common guillemot, northern fulmar, and razorbill.
Weybourne Cliffs SSSI	Breeding - Northern fulmar.
Ythan Estuary and Meikle Loch Ramsar	Migratory wintering assemblage species – Common redshank.
Ythan Estuary, Sands of Forvie and Meikle Loch SPA	Wintering - Lapwing and redshank.

Table C-2 Transboundary sites screened into marine and coastal ornithology assessment (seabirds only)

Site and Designation	Site Features
Sites in Belgium	
Uitbreiding Trapegeer-Stroombank SCI (Vlaamse Bank SCI)	Breeding - Lesser black-backed gull.
Sites in France	
Baie de Morlaix SPA	Breeding - Atlantic puffin, great black-backed gull, and lesser black backed gull.
Baie de Saint-Brieuc-Est SPA	Breeding - Great black-backed gull and lesser black backed gull.
Baie de Seine Occidentale SPA	Breeding - Great black-backed gull.
Baie du Mont Saint Michel SPA	Breeding - Great black-backed gull and lesser black-backed gull.
Cap d'Erquy – Cap Frehel SPA	Breeding - Black-legged kittiwake, common guillemot, great black-backed gull, lesser black-backed gull, northern fulmar, and razorbill.
Chausey SPA	Breeding - Great black-backed gull, northern gannet, and razorbill.
Cote de Granit Rose-Sept Iles SPA	Breeding - Atlantic puffin, black-legged kittiwake, common guillemot, great black-backed gull, lesser black-backed gull, northern fulmar, northern gannet, and razorbill.
Falaise du Bessin Occidental SPA	Breeding - Black-legged kittiwake, lesser black-backed gull, and northern fulmar.
Ilot du Trevors SPA	Breeding - Great black-backed gull and lesser black-backed gull.
Ilots Notre-Dame et Chevret SPA	Breeding - Lesser black-backed gull.
Littoral Seino-Marin SPA	Breeding – Black-legged kittiwake, great black-backed gull, lesser black-backed gull, and northern fulmar
Ouessant-Molene SPA	Breeding - Atlantic puffin, great black-backed gull, lesser black-backed gull, northern fulmar, and razorbill.
Tregor Goelo SPA	Breeding - Great black-backed gull, lesser black-backed gull, and northern fulmar.
Sites in Germany	
Niedersachsiches Wattenmeer un andrezendes Kustenmeer SPA	Breeding (wintering migratory) - Great black-backed gull and lesser black backed gull.
Ramsar Gebiet S-H Wattenmeer und angrenzende Küstengebiete SPA	Breeding - Great black-backed gull and lesser black backed gull.
Seevogelschutzgebiet Helgoland SPA	Breeding – Black-legged kittiwake, common guillemot, lesser black-backed gull, northern fulmar, northern gannet, and razorbill.
SPA Östliche Deutsche Bucht SPA	Wintering (migratory) – Common guillemot, great black-backed gull, northern fulmar, and razorbill. Passage - Black-legged kittiwake, lesser black-backed gull, and northern gannet.

Site and Designation	Site Features
Sylter Außenriff SPA	Wintering (migratory) - Black-legged kittiwake, common guillemot, great black-backed gull, lesser black-backed gull, and northern gannet.
Untereibe SPA	Wintering (migratory) – Great black-backed gull and lesser black-backed gull.
Wattenmeer, Elbe-Weser-Dreieck Ramsar	As Niedersächsisches Wattenmeer und angrenzendes Küstenmeer SPA.
Wattenmeer, Jadebusen & Westliche Wesermündung Ramsar	As Niedersächsisches Wattenmeer und angrenzendes Küstenmeer SPA.
Wattenmeer, Ostfriesisches Wattenmeer & Dollart Ramsar	As Niedersächsisches Wattenmeer und angrenzendes Küstenmeer SPA.
Sites in Netherlands	
Boschplaat Ramsar	As Waddenzee SPA below.
Duinen en Lage Land Texel SPA	Breeding - Lesser black-backed gull.
Duinen Vlieland SPA	Breeding - Lesser black-backed gull.
Griend Ramsar	As Waddenzee SPA below.
Krammer Volkerak SPA	Breeding - Lesser black-backed gull.
Krammer Volkerak Ramsar	Breeding - Lesser black-backed gull.
Veerse Meer SPA	Breeding - Lesser black-backed gull.
Veerse Meer Ramsar	Breeding - Lesser black-backed gull.
Waddenzee SPA	Breeding - Lesser black-backed gull.
Waddenzee Ramsar	Breeding - Lesser black-backed gull.
Zwanenwater SPA	Breeding - Lesser black-backed gull.
Zwanenwater Ramsar	Breeding - Lesser black-backed gull.
Sites in Norway	
Lista Wetlands System Ramsar	Breeding – Lesser black-backed gull.
Rott-Hastein Kjør Ramsar	Breeding - Atlantic puffin, black-legged kittiwake, common guillemot, and lesser black-backed gull.
Sites in Sweden	
Hallands Vadero SPA	Breeding - Common guillemot and lesser black backed gull.